

MH115-2B



VIBRATION ANALYSIS HARDWARE


Electrically Isolated, Multipurpose 2 Rail Magnet Mounting Base with 1/4-28 Blind Tapped Hole, 95 lbs. (43 kg) Pull Strength, 1.85 in. (46.99 mm) OD, 1.08 in. (27.43 mm) Height



Product Features

Electrically Isolated

- ▶ Durable 303 Stainless Steel case and mounting hole
- ▶ High strength Neodymium Iron Boron magnet optimizes pull strength and performance
- ▶ 2 rail mounting system allows measurements on flat and curved surfaces



Specifications

Max Temperature	266 °F (130 °C)
Case Material	303 Stainless Steel
Magnet Material	Neodymium Iron Boron
Dimensions	1.85 in. (47 mm) OD, 1.08 in. (27.43 mm) Height
Pull Strength	95 lbs. (43 kg)
Sensor Mounting	1/4-28 Mounting Hole

Chemical Compatibilities for Reference

- ▶ Compatible with all sensors with 1/4"-28 mounting stud or bolt
- ▶ Conversion mounting studs sold separately

Compatibility

- ▶ Compatible with all sensors with 1/4"-28 mounting stud or bolt
- ▶ Conversion mounting studs sold separately

Stock Product

Backed by our Unconditional Lifetime Warranty

www.ctconline.com | sales@ctconline.com | 585-924-5900

www.delta3n.hu